


INDEX MAPS.

T. 8 S R. 11. W. 2<sup>d</sup> Mer.



T. R. Mer.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

The figures on the lines refer to the page.

Township N 8. South of Range N 11. West of the 2nd Mer.

- South Between Sec? 1. & 2. Town 8. South R. 11. W.  
 35. 50 To a Hickory 18. in. diam. which stands in the line  
 40. 00 Set a Post for the cor. to  $\frac{1}{4}$  Sec. from which a Hickory 18.  
 in. diam. bears S. 59. W. 20. lbs. dist. & a Box Elder 10. in. in  
 diam. bears S. 83. E. 30. lbs. dist.  
 50. 00 To the mile Post set for the cor. to Sec? 1. 2. 11. & 12. from  
 which a Box Elder 13. in. diam. bears S. 63. W. 20 lbs dist.  
 & a B. Walnut 36. in. diam. bears S. 50. E. 50 lbs. dist.  
 Land level & Rich. Timber. Some Walnuts. Hopwood,  
 Ash, Box Elder. & Buckeye.

- South Between Sec? 11. & 12. T. N 8. S. R. N 11. W.  
 28. 00 To a Post on the Bank of the Ohio. from which a Maple  
 22. in. diam. bears N. 77. E. 112. lbs. dist. & a Box Elder 12.  
 in. diam. bears N. 76. W. 5. lbs. dist. Land Rich. Timber  
 Some & Walnut. Hopwood. Ash. & Sugar tree.

- East Between Sec? 1. & 12. T. N 8. S. R. N 11. W.  
 17. 40 Set a post on the Bank of the Ohio for the cor. to  
 Sec? 1. & 12 from which a  
 Box Elder 16 in. dia. bears N 59 E 37 links dist; & an  
 Elm 12 n a n S 40 E 38 n a  
 Land rich; N. Y. Some; Timber Walnut Hop  
 wood, ash, & Sugar tree

April 6<sup>th</sup> 1806.

- South Between Sec? 4. & 5. T. N 8. S. R. N 11 W.  
 29. 38 To a Hick? 30 in. dia. bears in the line.  
 40. 00 Set a post for the cor. to  $\frac{1}{4}$  Sec. from which a  
 B Elder 12 in. dia. bears N 60 W. 20 links dist; & a  
 Do 10 n a n S 34 E. 32 n a  
 59. 26 To an Elm 36 in. dia. bears in the line.  
 80. 00 Set a post for the cor. to Sec? 4. 5. 8. 9. from which a  
 Hopwood 12 in dia. bears N 13 E 15 links dist; &  
 Hick? 13 n a n S 59 E. 21 n a  
 The last 15 ch. Some Hopwood, Elm, Cottonwood

T. N<sup>o</sup> 8 S. R. N<sup>o</sup> 11 W. 2<sup>nd</sup> Mer. Sec.

Maple & Hickory; Rich lands.

South Between Sec. 8 & 9 T. N<sup>o</sup> 8 S. R. N<sup>o</sup> 11 W.

35.00 To a W. Hickory 20 in. dia. Stands on the line.

40.00 Set a post for the cor. to the 1<sup>st</sup> sec. from which a  
Pecan tree 30 in. dia. bears N 11 E. 20 lks dist; to  
Elm 12 n n n N 30 W 28 n n

80.00 Set a post for the cor. to Sec. 8. 9. 16. 17. from  
which an Elm 12 in. dia. bears N 38 E. 34 lks dist;  
under W. Elm 12 n n n S 85 W 24 n n  
Lands rich; bears Box Elm, Maple, W. Locust  
& Hickory

South Between Sec. 16. & 17 T. N<sup>o</sup> 8 S. R. N<sup>o</sup> 11 W.

27.35 To a Sycamore 30 in. dia. Stands on the line.

35.10 Set a post on the Bank of the Ohio for the cor. to Sec.  
16. & 17 from which a  
Cottonwood 18 in. dia. bears N 72 W. 9 lks dist; to

Elm 12 n n n N 69 E 17 n n  
Lands rich; Timber Cottonwood, Maple, W. Locust  
W. Elm, & Hoopwood.

West On the true line between Sec. 8. & 17. T. 8 S. R. 11 W.

12.24 To a Honey Locust 30 in dia. Stands on the line.

40.00 Set a post for the cor. to 14 sec. from which a  
W. Elm 13 in dia bears N 63 E 40 lks dist; to  
Hoopwood 10 n n n N 58 W 34 n n

54.53 Set a post on the Bank of the Ohio. for the cor. to  
Sec. 8. & 17 from which a  
Cottonwood 12 in. dia bears N 72 W. 25 lks dist; to  
Maple 10 n n n S 56 E 18 n n  
Lands rich; Cottonwood W. Locust Box Elm  
& Hoopwood.

West On the true line between Sec. 5. & 8. T. N<sup>o</sup> 8 S. R. 11 W.

28.00 To a sycamore 7 ft in dia. Stands on the line.

T. N<sup>o</sup> 8 S. R. N<sup>o</sup> 11 W. 2<sup>nd</sup> Mer. (Ind<sup>y</sup>)

- 33.50 To the W. Edge of Lake  
 40.00 Set a post for the cor. to 1<sup>st</sup> Sec. from which a  
 B. Elder, 14 in. diam. bears North 24 miles dist; to  
 Do 12 " " " S 54 E 16 " "  
 50.00 150 To the pond. corner N.  
 80.00 Set a post for the cor. to Sec. 5, 6, 7, 8. from which a  
 Maple 14 in. diam. bears N 16 W. 15 miles dist; to  
 B. Elder 16 " " " S 58 E. 25 " "  
 Cottonwood, B. Elder, Hoopwoods, & Maple.

- South Between Sec. 7. & 8. T. N<sup>o</sup> 8 S. R. N<sup>o</sup> 11 W.  
 5.88 To a Cottonwood 36 in. diam. stands in the line  
 37.50 Set a post on the Bank of the Chio. for the cor. to Sec.  
 7. & 8. from which a  
 Cottonwood 12 in. diam. bears S 16 E 9 miles dist; to  
 Do 16 " " " S 62 W 11 " "  
 Limbs hick; Timber Cottonwood & Maple.

- West Between Sec. 6. & 7. T. N<sup>o</sup> 8 S. R. N<sup>o</sup> 11 W.  
 4.75 To a Cottonwood 12 in. diam. stands on the Bank  
 of the Chio. for the cor. to Sec. 6 & 7. from which a  
 Cottonwood 14 in. diam. bears N 63 E 39 miles dist; to  
 Do 12 " " " N 13 E. 24 " "  
 Timber Maple, Cottonwoods, & Hoopwoods.

- North Between Sec. 5. & 6. T. N<sup>o</sup> 9 S. R. N<sup>o</sup> 11 W.  
 31.33 To a Maple on the Bank of the Chio. from which a  
 Maple 20 in? diam? bears S. 25. W. 22 lbs. dist. Ya Maple 6.  
 in? diam? bears N 32. E. 24 lbs. dist. Timber. Maple  
 Cottonwood. Hoopwood? &c. Apr. M<sup>th</sup> 1866.

- South Between Sec. 2. & 3. T. N<sup>o</sup> 8 S. R. N<sup>o</sup> 11 W.  
 16.50 To a Pond 225 lbs. mile. corner W.  
 110.00 Set a Post for the cor. to 1<sup>st</sup> Sec. from which an Ash 2 in?  
 diam? bears S. 22. E 19 lbs. dist. Ya Ash 14 in? diam? bears  
 N. 31. W. 23 lbs. dist.



T. N. 8. S. Co. N. 11. W. 2<sup>nd</sup> Mer.

51. 00 To a Pond 150 lbs. mid. course W.  
 68. 75 To a Pond 100 " " " W.  
 80. 00 To the Mile Post ut for the Cor. of Sec. 2, 3, 10 & 11. from  
 which a B. Walnut 24 in. diam. bears S 60. E. 41. lbs. dist.  
 & an Elm 12 in. diam. bears S 17. E. 30. lbs. dist.  
 Timber. Hickory. Walnut. Elm. & Gum.

- East Between Sec. 2 & 11. on a Random line  
 40. 00 To a Temp. Post for the Cor. to 14 Sec.  
 80. 60 Intersect of the N. & S. line 150 lbs. N. of the Post. ut for  
 the Cor. to Sec. 1. 2. 11. & 12. Timber. Walnut. Box Elder  
 Ash. Hornwood & Hickory. Rich Land with thick. course.

- West On the true line Between Sec. 2 & 11. T. N. 8. S. Co. N. 11  
 40. 30 W. of the Temp. Post. from which an H. Oak 30 in.  
 diam. bears S 60. E. 14. lbs. dist. & a Maple 9 in. diam.  
 bears S 59. W. 8. lbs. dist.  
 80. 60 Set a Post for the Cor. to Sec. 2. 3. 10 & 11.

- South Between Sec. 10 & 11. T. N. 8. S. Co. N. 11. W.  
 4. 88 To an Elm 22 in. diam. stands in the line.  
 5. 50 To a Pond 100 lbs. mid. course S 70. W.  
 29. 00 To a Pond 150 " " " West.  
 40. 00 Set the Post for the Cor. to 14 Sec. in a Swamp 2. 00 W.  
 from which an Ash 12 in. diam. bears N 61. E. 36. lbs.  
 dist. & an Ash 22 in. diam. bears N 66. W. 38. lbs. dist.  
 58. 36 To a H. Locust 30 in. diam. which stands in the line  
 80. 00 To the Mile post ut for the Cor. to Sec. 10. 11. 14 & 15.  
 from which an Ash 12 in. diam. bears N 14. E. 8. lbs.  
 dist. & an Ash 13 in. diam. bears S 77. W. 16. lbs. dist.  
 Timber. Walnut. H. Locust. Ash. Hickory. Elm  
 & Box Elder. Game is Plenty.

- South Between Sec. 3 & 4. T. N. 8. S. Co. N. 11. W.  
 12. 00 To a Pond 100 lbs. mid. course N 45. W.  
 36. 90 To a Pond 100 " " " N 45. W.

*I. N. 8. S. R. N. M. W. 2nd Mer.*

40. 00 Set a Post for the Cor to 1/4 Sec. from which a Hickory 26. in? diam? bears N 87. E. 8. lbs. dist? & a S. 34. in? diam? bears N. 88. W. 27. lbs. dist?
58. 08 To a Hickory 20. in? diam? which stands in the line.
77. 00 A Pond to the Post. Course N. 45. W.
80. 00 To the Wide Post Cor of Sec? 3. 4. 9. & 10. from which a Cypress 36. in? diam? bears N. 18. W. 37. lbs. dist? & a Maple 20. in? diam? bears S. 21. W. 20. lbs. dist? Come Between the Ponds. Timber. Oak. Hickory. Ash. Gum. Apr. 12. 1806.

- East Between Sec? 3. & 10. On a Random line. I. N. 8. S. R. M. W.
90. A Pond. Course N. 45. W.
40. 00 Set a Temp? Post for the Cor to 1/4 Sec.
80. 00 Intersecting the N. & S. line 20. lbs. S. of the Post set for the Cor. to Sec? 2. 3. 10. & 11. Timber. Walnut. Hesperoxydon Elder. Ash. Hickory. & some cane.

- West On the True line Between Sec? 3. & 10. I. N. 8. S. R. M. W.
40. 00 Move the Temp? Post. from which a Buck? 20. in? diam? bears N. 62. W. 14. lbs. dist? & an Ash 14. in? diam? bears S. 53. E. 33. lbs. dist?

- West Between Sec? 4. & 9. I. N. 8. S. R. N. M. W.
9. 50 To a Pond 700 lbs. wide. Course N. 45. W.
36. 50 To a Pond " " " " " N. 45. W.

- East On the True 4. & 9. True 8. S. Range N. M. W. 2nd Mer.
2. 50 To a Pond - lbs. wide. Course N.
39. 50 To the Pond " " " " " Timber. Oak. Gum. Poplar Maple. Hickory & Cypress

- South Between Sec? 9. & 10. I. N. 8. S. R. N. M. W.
9. 50 To a Pond 412. lbs. wide. Course N. 45. W.
19. 50 To a Pond 5. 00 " " " " " N. 45. W.
37. 00 To a Pond 3. 00 " " " " " N. 45. W.
40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Maple 8. in? diam? bears N. 40. E. 25. lbs. dist? & a Maple 12. in? diam?

## T. N. S. J. R. N. M. W. 2nd Mer.

bears A. 54. W. 23 lbs. dist.

58. 43 To a Hickory 11. in. diam. stands in the line.  
 50. 00 To the Wide Port set for the bar of Gre? 9. 10. 15. & 16. from  
 which a Hickory 12. in. diam. bears A. 86. W. 24 lbs. dist.  
 & an Elm 18. in. diam. bears A. 7. E. 22. lbs. dist.  
 Timber. Hickory. Elm. Ash. &c. & Plenty of cane.

South Between Gre? 15. & 16. T. N. S. J. R. N. M. W.

22. 00 To the Edge of cane  
 39. 37 To a Port on the Bank of the Ohio from which a B. Walnut  
 20. in. diam. bears A. 36. W. 19 lbs. dist. & a Hopwood 18. in.  
 diam. bears A. 37. E. 19 lbs. dist. Timber. Walnut.  
 Hopwood. Cottonwood. & Box Elder.

East Between Gre? 9. & 16. On a random line. T. N. S. J. R. N. M. W.

40. 00 Set a Temp? Port for the bar to 14 Gre.  
 50. 00 Intersecting the A. & Shine 20. lbs. S. of the Port set for the  
 bar to Gre? 9. 10. 15. & 16. ~ Timber. Walnut. Hopwood.  
 & Box Elder. & a thick growth of cane.

West On the true line Between Gre? 9. & 16. T. N. S. J. R. N. M. W.

40. 20 Meet the Temp? Port. from which a Mulberry 8. in.  
 diam. bears T. 17. E. 15 lbs. dist. & an Elm 13. in. diam. bears  
 A. 21. W. 27 lbs. dist.

South Between Gre? 14. & 15. T. N. S. J. R. N. M. W. Apr. 13<sup>th</sup> 1806.

00. 50 To a Pine 150. lbs. wide. Course A. 45. W.  
 20. 65 To an Elm 3. in. diam. standing on the Bank of the Ohio.  
 from which a Hopwood 18. in. diam. bears T. 52. E. 7 lbs. dist.  
 & a Hickory 21. in. diam. bears A. 54. W. 12 lbs. dist.  
 Rich Land. Timber. Cane. Walnut. Hopwood &c. Ash.

East Between Gre? 11. & 15. T. N. S. J. R. N. M. W.

On a random line.

40. 00 Set a Temp? Port for the bar to 14 Gre.  
 79. 00 To a Pine 100. lbs. wide; Course A. 45. W.

*T. p. 8. S. R. N. 11. M. 2<sup>nd</sup> Mar.*

50. 30 Interspersed the N. & S. line 10. Mts. S. of the Port set for the  
 (ver. to Gre? 10. 11. 14. & 15. Rich Sand. & Plenty of cane.  
 Timber. Walnut. Hopwood. Ash. & Box Elder. & Hick?  
 (West On the True line Blazed Such. Between Gre? 10. & 15.  
 40. 15 Moved the Temp<sup>o</sup> Port. from which a Box Elder 8. in?  
 diam? bears N. 66. W. 10. Mts. dist? 8 a Hickory 14. in? diam?  
 bears S. 50. W. 10. " "

- East Between Gre? 11. & 14. S. N. 8. S. R. N. 11. M.  
 39. 90 To a Port on the Bank of the Ohio from which a Hick?  
 13. in? diam? bears N. 67. E. 14. Mts. dist? 8 a Hickory 8.  
 in? " " S. 18. W. 9. " " Rich Sand.  
 Timber. Cane. Walnut. Hopwood. Hickory. Ash &c.  
 Apr? 14<sup>th</sup> 1806.

- Maneuvers of the Ohio River. from a Port on the Bank  
 Between Gre? 11. & 12. Town 3. S. R. N. 11. M. Apr? 12<sup>th</sup> 1806.  
 Course Dist  
 N. 33. 40 E. 22. 45  
 N. 27. 40 E. 10. 50 To a Port Between Gre? 1. & 12. (Gre?)  
 N. 27. E. 62. 50  
 N. 19. E. 31. 40 To a Port Between Towns 7. & 8. Gre? 18 & 36.  
 Apr? 6<sup>th</sup> 1806.

- Maneuvers of the Ohio down the same. Beginning at  
 a Port Between Gre? 11. & 12. Town 3. South Range 11. (West).  
 Course Dist.  
 S. 40. W. 17. 58.  
 S. 45. W. 32. 50  
 S. 44. W. 16. 55. To a Port Between Gre? 11. & 14.  
 S. 52. W. 12. 00  
 S. 59. W. 27. 50 To a Port on an Elm Between Gre? 14. & 15.  
 S. 70. W. 22. 00  
 S. 75. W. 18. 00  
 S. 78. W. 22. 71  
 S. 84. 1/2 W. 20. 00 To a Port Between Gre? 15. & 16.



T. & S. T. C. & M. W. 2<sup>nd</sup> Mer.

Course. Dist.  
 S. 87. W. 40. 50  
 N. 85. W. 18. 50  
 N. 74 1/2 W. 21. 75 To a Post Between Sec. 16. & 17.  
 N. 73. W. 7. 00  
 N. 64 W. 27. 00  
 N. 53 W. 15. 00  
 N. 45. W. 12. 00 To a Post Between Sec. 8. & 17. ~ Apr. 14<sup>th</sup> 1806.  
 N. 41. W. 23. 50  
 N. 27. W. 19. 00  
 N. 15. W. 06. 50 To a Post Between Sec. 7. & 8.  
 N. 10. W. 14. 50  
 N. 7. W. 15. 00  
 N. 2. W. 08. 20 To a Post Between Sec. 6. & 7.  
 N. 7. E. 22. 70 To a Maple Post Between Sec. 5. & 6.  
 N. 9. E. 04. 50  
 N. 12. E. 04. 30  
 N. 13. E. 29. 25  
 N. 19. E. 14. 61  
 N. 30. E. 5. 75 To a Post Between Towns 7. & 8. & Sec. 5. & 32.  
 Apr. 15<sup>th</sup>. 1806.

On this side the Field notes for Town 8. is now completed  
 Surveyed by Jacob Fowler.  
 Deputy Surveyor.

N. Boundary.

See next page.

~~I Certify that the foregoing Transcript of the Field notes  
 of Township T. 8. North of Range R. 14. W. of the 2<sup>nd</sup>.  
 Mer. & 32<sup>nd</sup> East has been compared with the Field notes in  
 this Office & found to be correct.  
 Surveyor General's Office  
 Dec. 1<sup>st</sup>. 1839.~~



507

T. S. S. R. 11. W. 2<sup>a</sup> Mer Surd<sup>2</sup>

East On S. Boundary of Sec 36, T. 7. S. R. 11. W.

40.00 Set of Sec Post from which  
A Mulberry 22 in dia b P N 69 E 90 N

A Mulberry 10 " " " S 9 E 6 " ,

47.78 A Hickory 20 " " ,

50.50 A Pond 400 LKS wide S.

51.50 Post on Bank of the Ohio from which  
A Mulberry 14 in dia b P S 22 W 20 N

A Hoopwood 10 " " " N 53 W 42 " ,

Land Soil rich, Timber Ash

Walnut Sugar, April 5, 1806,

West On S. Boundary of Sec 35, T. 7. S. R. 11. W.  
April 8, 1806,

17.88 A Hickory 30 in dia ,

40.00 Set of Sec Post from which

A Hickory 18 in dia b P N 37 E 18. N 37

A R. Oak 34 " " " S 38 W 22 " ,

44.50 14.50. thence pond Course S. 70. W.

80.00 Set mile post from which

A Gum 30 in dia b P N 45 W 28 N

A 50 28 " " " S 22 E 9 " ,

Land covered with cane,

Timber Oak, Gum, Hickory & Ash.

Some Walnut,

West On S. Boundary of Sec 34, T. 7. S. R. 11. W.

19.74 A Hickory 30 in dia ,

40.00 Set of Sec Post from which

A Hickory 10 in dia b P N 34 W 11 N

A Hoopwood 10 " " " S 49 E 30 " ,

57.50 A Hickory 33 " " ,

70.00 A Pond 350 LKS wide Course N. 50. W.

80.00 Set mile Post from which

An Ash 15 in dia b P on corner.

T. S. S. R. 1178. 3<sup>rd</sup> Mer, Ind.<sup>a</sup>  
 Mrs.

A Hickory 10 in dia W. N 39 E 32 in  
 A Hoopwood 10 " " S 22 E 20 "  
 Land & same,

Nest Qu. S. Boundary of Sec 33, T. 7 S. R. 11 W. S.  
 19.50 A Pond 350 lks wide Course N 60 W.  
 35.50 A do 150 " " " N 50 W.  
 40.00 Set of Sec Post from which  
 A B Walnut 22 in dia W. N 40 E 8 lks  
 A Hickory 20 " " " - 7 1/2 E 15 "  
 59.75 A B. Walnut - 30 " " "  
 64.50 A Pond 200 lks wide Course N 40 W.  
 80.00 Mile post from which  
 An ash 22 in dia W. P S 15 E 14 lks  
 A Hoopwood 14 " " " N 74 E 25 "  
 Land & same.

Nest Qu. S. Boundary of Sec 32, T. 7 S. R. 11 W. S.  
 33.00 A Pond Course N 10 E.  
 40.00 Set of Sec Post from which  
 A Box Elder 12 in dia W. N 64 E 52 lks  
 A maple 20 " " " S 3 E 50 "  
 54.18 A Cottonwood 33 " " "  
 62.11 Set post on Bank of the Ohio  
 from which  
 A Cottonwood, 20 in dia W. N 77 W 1 1/2 lks  
 A do 22 " " " S 28 E 27 "  
 Land fine Bottom / Cottonwood  
 Maple & Hickory.  
 April 9, 1806.

Lucas B. Fowler D. S.

Surveyor General's Office  
Detroit April 24, 1846 &.

I hereby certify that  
the foregoing Transcript of the field  
notes of Township 8, South in Range  
11, West of 2<sup>d</sup> Mer. Lrd.<sup>a</sup> has been  
compared with the original notes in  
this office & found to be correct,

Sur. Genl.